



SWEEPER ADVANCE

Reg. No. L11084, Act No. 36 of 1947 | Reg. Nr. L11084, Wet Nr. 36 van 1947

Read the label before use
Keep out of reach of children and animals

A broad spectrum suspension concentrate fungicide with systemic, trans-laminar and contact properties for the preventive control of different leaf diseases in crops as listed.

Is 'n breë spektrum suspensie konsentraat swamdoder met sistemiese, trans-laminêre en kontak eienskappe vir die voorkomende bestryding van verskillende blaarsiektes in gewasse soos gelys.

Danger

Hazard statements:

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful if inhaled.

Suspected of causing cancer.

Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Obtain, read, and follow all safety instructions before use.

Do not breathe dusts or mists.



FUNGICIDE GROUP CODE 11 & Y

ACTIVE INGREDIENT:

Pyraclostrobin (strobilurin) 40g/ℓ

Folpet (phtalimide) 400g/ℓ

Manufactured for and registered by/
Vervaardig vir en geregistreer deur:

Sharda International Africa (Pty) Ltd

Reg. No./Reg. Nr. 2010/002268/07

P. O. Box/Posbus 82021, Southdale, 2135

Tel: 031-764 3011

SWAMDODER GROEPKODE 11 & Y

AKTIEWE BESTANDDEEL:

Piraklostrobien (strobilurien) 40g/ℓ

Folpet (ptalimied) 400g/ℓ

BATCH NUMBER LOT NOMMER	
DATE OF EXPIRY VERVAL DATUM	

NET CONTENTS /
NETTO INHOUD

20 ℓ

UN No./VN Nr. 2902

WARNINGS:

Withholding periods: (Minimum number of days between last application and harvest or feeding / grazing).

Potato	5 days
Grapes	14 days

- Causes severe skin burns and eye damage.
- May cause an allergic skin reaction.
- Harmful if inhaled.
- Suspected of causing cancer.
- Very toxic to aquatic life with long lasting effects.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label.

Instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

- Obtain, read and follow all safety instructions before use.
- Do not breathe dusts or mists.
- Avoid release to the environment.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Store locked up.
- **Dispose of contents/container to...**
- Do not eat, drink or smoke whilst handling this product or before hands and face are washed.
- Prevent contamination of food, feed, drinking water and eating utensils.
- Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water of at least 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the empty container.
- Whilst spraying avoid contact with the spray as much as you can.
- Avoid spray drift onto other crops, grazing, rivers or dams.
- Clean applicator thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams
- Destroy empty container by perforating and flattening and do not use for any other purpose.
- Change and wash your work clothes. Wash yourself.

RELEVANT SUBSTANCES:

Components	%
Folpet	<45
Pyraclostrobin	<5
Fumaric acid	≤ 1
Sulfonated aromatic polymer, sodium salt	< 5
Methenamine	≤ 1
1,2-Benzisothiazol-3(2H)-one	< 0,05
Sodium hydroxide	< 0.1

DIRECTIONS FOR USE: Use only as indicated

CROP AND DISEASE	DOSAGE	REMARKS
Wine grapes Powdery mildew (<i>Erysiphe necator</i>)	250mL/100L water	Start application at budswel. Repeat every 14 days when weather conditions promote disease development. Apply full cover spray but not to run off. Apply 3 times at 14 day intervals
Potato Early blight (<i>Alternaria solani</i>)	2.5 L per Ha	First application from emergence (pre-blossom stage). As preventative treatment. Follow-up sprays every 7 days. Maximum 6 sprays per season