

1 Kg

SHARDAFLYBAIT



Read the label before use
Keep out of reach of children and animals

Reg. No. L10673, Act No. 36 of 1947

Reg. Nr. L10673, Wet Nr. 36 van 1947

An Insecticide for professional and non-professional use as a Granules (GR) for the control of flies. Controls common house flies(*Musca domestica*) and stable flies(*Stomoxys calcitrans*) as a spray and a paint on application.

'n Insekdoder vir professionele en nie-professionele gebruik as korrel (GR) vir die beheer van vlieë. Beheer huisvlieë (*Musca domestica*) en stalvlieë (*Stomoxys calcitrans*) as 'n spuit en 'n verf op toediening.

IRAC INSECTICIDE GROUP CODE A4

IRAC INSEKDODER GROEPPKODE A4

Active ingredient:
Imidacloprid (0.5%)

Aktiewe bestanddeel:
Imidakloprid (0.5%)



Signal word: Warning

Hazard statements:

Causes mild skin irritation.
Causes serious eye irritation.
Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Avoid release to the environment.
Wear eye protection/face protection.

Batch No.
Expiry Date

Lot Nr.
Verval Datum

Sharda International Africa (Pty) LTD
Reg. No./Reg. Nr. 2010/002268/07
P. O. Box/Posbus 82021, Southdale, 2135
Tel: 031-7643011

UN No./VN Nr. 3077

WARNINGS

- Causes mild skin irritation.
- Causes serious eye irritation.
- Very toxic to aquatic life with long lasting effects.
- Handle with care.
- Poisonous when swallowed or inhaled.
- Do not use on edible crops, foodstuffs or surfaces on which food is handled or stored.
- Poisonous if absorbed through the skin, swallowed or inhaled.
- Toxic to bees
- Store in a cool place away from food and feed.
- Keep the product in its original packaging out of the reach of children and pets. Under these conditions, **SHARDA FLY BAIT** may be stored for 4 years.

Respect the uses, doses, conditions and precautions on the packaging which have been determined based on product characteristics and applications for which it is recommended. The treatment should be performed according to good practice taking into account under your responsibility all the specific factors that may be involved and are beyond our control (materials used, application conditions, product mix, etc.)

Although this remedy has been extensively tested the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the pest against the remedy concerned as well as by the method, time and accuracy of application.

The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration.

Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- Avoid release to the environment.
- Wear eye protection/face protection.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If skin irritation occurs: Get medical help.
- If eye irritation persists: Get medical help.
- Collect spillage.
- Dispose of contents/container to hazardous or special waste collection point, in accordance with local,

- regional, national and/or international regulation
- After using **SHARDA FLY BAIT** and before eating, wash your hands and skin with soap and water.
- Do not apply the product in surfaces where food is stored, prepared or consumed.
- Protect food, cooking utensils and cutlery from contamination during application.
- Do not apply the product in areas accessible to children or animals.
- Wear protective clothing when handling concentrate or diluted chemical.
- Avoid contact with the skin and wash spillages from skin immediately.
- Wash with no abrasive soap and water after use or accidental skin contact.
- Wash contaminated clothing daily.
- Do not smoke, eat or drink whilst mixing or applying chemical, before washing hands and face.
- Avoid spray drift onto surrounding areas and fishponds.
- Rinse container three times with a volume of water equal to a minimum of 10% of that of the container. Add rinsings to the contents of the spray tank before destroying the container.

RELEVANT SUBSTANCES:

Component	%
imidacloprid (ISO), 1-(6-chloropyridin-3-ylmethyl)-N-nitroimid azolidin-2-ylidenamine	< 10
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	< 5

First aid: Change contaminated clothing. After skin contact: Wash skin with soap and plenty of water immediately. After eye contact: Wash eyes thoroughly with water. Consult an ophthalmologist. After swallowing: Call a doctor immediately. Symptomatic treatment is recommended.

Mode of action: The active ingredient, imidacloprid, acts by binding to the insects' neurons. This binding causes a disturbance in the transmission of nerve impulses which is lethal to the target insect. The product contains the pheromone cis-tricos-9-ene, attractive to flies. The product is easy to apply and provoke fast knockdown. The product contains denatonium benzoate, a bittering agent which helps to prevent ingestion by children, non-target animals and pets.

**IMPORTANT: USE INSECTICIDES WITH PRECAUTION.
BEFORE USE, READ THE LABEL.
DIRECTIONS FOR USE USE ONLY AS DIRECTED**

PEST	DOSAGE	REMARKS
House Fly and Stable fly Spray application	Pour 100 g of SHARDA FLY BAIT in 100 ml of water to cover 50m ²	Mix well and let mixture stand for at least 15 minutes. Using a pressure sprayer apply the mixture withing 7-8 hours after mixing. Apply on non-porous surfaces such as walls and pipes where flies usually lay or hang strips of cardboard treated with the mixture.
Paint application	Pour 200 g in 150 ml of water.	Mix well and let it stand for at least 20 minutes before application. Apply the mixture with a paint brush directly to non porous surfaces like high walls, pipes and window ledges where flies usually lay or hang strips of cardboard treated with the mixture.
Granule Bait	200g per 100m ²	Place pellets in cups, avoiding the formation of piles. Place stations every 10m ² , preferably up high (shelves, ledges, walls ...). Check bait stations every 2 to 3 days, renewing the application when the granules are covered with dust.

Intended uses: For indoor use on livestock premises such as broiler and breeding houses, livestock barns, dairy parlours, caged layer houses and small animal husbandry such as kennels, etc., commercial/industrial and public areas such as hospital wards, hotels, public baths, municipal buildings, churches, halls, community centres, cinemas, etc., and domestic environments such as rooms where household wasting is stored.

Remarks: Apply only in empty premises or in places where direct or indirect contact with people/animals is not likely. Do not apply in areas where regular cleaning can move the bait to the surfaces that come into contact with foodstuffs. Do not apply in areas regularly cleaned with water as the washing can remove the deposit. Do not apply in areas recently sprayed with insecticide. Do not spray insecticide on the granules. The application on textile may cause discoloration.